

August 18, 2021

EMMONS BAYOU UNDER ADVISORY AFTER RAW SEWAGE RELEASE
City of Callaway reports approximately 6,000-gallons raw sewage release



Contact:

Joe Scully

850-481-4806

joseph.scully@flhealth.gov

Panama City, Fla. –The City of Callaway is reporting a release of **approximately 6,000 gallons of raw sewage**. This is from a **manhole that overflowed due to rainfall from Tropical Storm Fred in the 6400 block of Wallace Road**. The release entered a storm water drain that empties into **Emmons Bayou**. Cleanup actions have been completed

Sewage contamination of water can expose swimmers to **intestinal viruses, bacteria, and parasites**. Swimming in the water may cause **symptoms like food poisoning** with vomiting and diarrhea. **Infection is possible in open cuts and wounds** that come in contact with the water.

The Florida Department of Health in Bay County, DOH-Bay, **advises against swimming in Emmons Bayou from Wallace Road to the Yacht Club Drive**. The **City of Callaway will test** the water and share results with the Florida Department of Environmental Protection and the Bay County Health Department. **Once levels are safe, the advisory will be lifted**.

For more information, contact the DOH-Bay's Environmental Health office at 850-481-4806 or visit Bay.FloridaHealth.gov.

About the Florida Department of Health

The department, nationally accredited by the [Public Health Accreditation Board](#), works to protect, promote and improve the health of all people in Florida through integrated state, county and community efforts.

Follow us on Twitter at [@HealthyFla](#) and on [Facebook](#). For more information about the Florida Department of Health please visit www.FloridaHealth.gov.