

FOR IMMEDIATE RELEASE  
March 18, 2025



## DOH-Bay Issues Water Quality Health Advisory

*Advisory issued for Carl Gray Park (SP 9).*

**Contact:**

Joe Scully

[joseph.scully@flhealth.gov](mailto:joseph.scully@flhealth.gov)

850-481-4806

**Bay County, Fla.** — The Florida Department of Health in Bay County (DOH-Bay) has issued a water quality advisory for the following location:

**Carl Gray Park (SP 9)  
Collegiate Drive  
Panama City, FL 32401**

Tests completed on Monday, March 17, 2025, indicate that the water quality at Carl Gray Park (SP 9) does not meet the recreational water quality criteria for *Enterococcus* bacteria recommended by the Florida Department of Health.

DOH-Bay advises against any water-related activities at this location due to an increased risk of illness in swimmers. Sampling conducted during regular water quality monitoring showed that the level of bacteria exceeds the level established by state guidelines.

This advisory will continue until bacteria levels are below the accepted health level. Test results are available at [FloridaHealth.gov/HealthyBeaches](https://FloridaHealth.gov/HealthyBeaches).

For more information call 850-481-4806 or visit [Bay.FloridaHealth.gov](https://Bay.FloridaHealth.gov).

###

### **About the Florida Department of Health**

The Department, nationally accredited by the [Public Health Accreditation Board](#), works to protect, promote, and improve the health of all people in Florida through integrated state, county, and community efforts.

Follow us on X at [@HealthyFla](#) and on [Facebook](#). For more information about the Florida Department of Health, visit [FloridaHealth.gov](https://FloridaHealth.gov).